


INTEZAR CNC

ENTERPRISES



Address :
 Khan Mahal Road,
 Sialkot-51310 PAKISTAN
 Ph: +92 322 735 0580
 E-mail: info@intezarcnc.com
 Web: www.intezarcnc.com

2313 | Anterior Cervical Plate System(JZ- II)



2315 | Anterior Cervical Plate System(JZ- III)



Balance 2317 | Balance Anterior Cervical Plate System



Balance 2318 | Balance Cervical Screws(Adjustable)





Balance 2319 | Balance Cervical Screws(Fixed)





Product No.	Product Name	(mm)Size		Material
		Holes	Length	
2313-3425	Anterior Cervical Plate	4	25	Pure Titanium
2313-3427			27	
2313-3430			30	
2313-3432			32	
2313-3635			35	
2313-3638		38		
2313-3641		41		
2313-3644		44		
2313-3647		47		
2313-3650		50		
2313-3653		53		
2313-3656		56		
2313-3659		59		
2313-3662		62		
2313-3665		65		
2315-3425	Anterior Cervical Plate	4	25	Pure Titanium
2315-3427			27	
2315-3430			30	
2315-3432			32	
2315-3635			35	
2315-3638		38		
2315-3641		41		
2315-3644		44		
2315-3647		47		
2315-3650		50		
2315-3653		53		
2315-3656		56		
2315-3659		59		
2315-3662		62		
2315-3665		65		
2317-3025	Balance Anterior Cervical Plate	4	25	Titanium Alloy
2317-3027			27	
2317-3030			30	
2317-3032			32	
2317-3035		35		
2317-3038		38		
2317-3041		6	41	
2317-3044			44	
2317-3047			47	
2317-3050			50	
2317-3053		8	53	
2317-3056			56	
2317-3059			59	
2317-3062			62	
2317-3065		Cervical Screws	4	
2314-2F13	13			
2314-2F14	14			
2314-2F15	15			
2314-2F16	4.0		16	
2314-2F17			17	
2314-2F18			18	
2316-2F13			13	
2316-2F14	4.5		14	
2316-2F15			15	
2316-2F16			16	
2316-2F17			17	
2316-2F18	4.0		18	
2316-2G13			13	
2316-2G14			14	
2316-2G15		15		
2316-2G16	4.5	16		
2316-2G17		17		
2316-2G18		18		
2318-2F12		Balance Cervical Screws (Adjustable)	4.0	12
2318-2F13	13			
2318-2F14	14			
2318-2F15	15			
2318-2F16	16			
2318-2F17	4.5		17	
2318-2F18			18	
2318-2G14			14	
2318-2G16			16	
2318-2G18			18	
2319-2F12	Balance Cervical Screws (Fixed)	4.0	12	
2319-2F13			13	
2319-2F14			14	
2319-2F15			15	
2319-2F16			16	
2319-2F17		4.5	17	
2319-2F18			18	
2319-2G14			14	
2319-2G16			16	
2319-2G18			18	

2310 | Anterior Cervical Plate System-Instrument Tray



Product No.	Product Name
T2310-0100	Plate Bending Clamp
T2310-0200	Screwdriver
T2310-0300	Screw Hoder
T2310-0400	Stop Drill Bit ϕ 2.8
T2310-0600	Screw Tap HB4
T2310-0700	Cervical Retractor
T2310-0800	Autislip Screw Extractor
T2310-0900	Distractor Screwdriver
T2310-1000	Plate Holder
T2310-1100	Double Head Drill Guide
T2310-1101	Single Head Drill Guide
T2310-1200	Cervical Retractor
T2310-1300	Distractor Screw
T2310-1400	Locating Pin Inserter
T2310-1500	Locating Pin
T2310-1600	Open Awl
T2310-1700	Protected Star Screwdriver SW2.5

2317 | Balance Anterior Cervical Instrument(self-locking)



Product No.	Product Name
T2317-0100	Awl
T2317-0200	Drill Bit ϕ 2.4
T2317-0300	Screw Tap HB4.0
T2317-0400	Screw Driver(star type) ϕ 2.85
T2317-0500	Location Pin Handle
T2317-0600	Location Pin
T2317-0700	sleeve
T2317-0800	Drill bit Stop
T2317-0900	Fixation Guide
T2317-1000	Universal Guide
T2317-1100	Plate Holder Guide
T2317-1200	Screw Extractor
T2317-1300	Plate Bender
T2317-1400	Quick Coupling Handle
T2317-1500	Distractor Screw Driver
T2317-1600	Distractor Screw
T2317-1700	(RIGHT) Distractor

Thoracic Vertebrae Internal Fixation System

Screw Driver
T2330-0900



Vertebral Hook Probe
T2330-1000



Anti-rotation Spanner
T2330-1100



Rod Holder Forcep
T2330-1200



Compression Clamp
T2330-1300



Hook Holder Forcep
T2330-1400



Drill Bit Cadjustable
T2330-1500



Drill Bit
T2330-1501



Rod Cutter
T2330-1600



Distractor Clamp
T2330-1700



Rod Bending Pliers
T2330-1800



Rod Reductor Clamp
T2330-1900



Rod Template
T2330-2000



2341 Thoracic Plates



2342 Thoracic Bolts



2343 Thoracic Screws



2351 Thoracolumbar Plates



2352 Thoracolumbar Bolts



2353 Thoracolumbar Screws



2354 Small Screws

Product No.	Product Name	(mm)Size		Material
		Holes	Length	
2341-3060	Thoracic Plates		60	Pure Titanium
2341-3065			65	
2341-3070			70	
2341-3075			75	
2341-3080			80	
2341-3085			85	
2341-3090			90	
2342-2130	Thoracic Bolts	5.5	30	Titanium Alloy
2342-2135			35	
2342-2140	Thoracic Screws	5.0	40	Pure Titanium
2343-2135			35	
2343-2140			40	
2351-3070			70	
2351-3075			75	
2351-3080			80	
2351-3085			85	
2351-3090	Thoracolumbar Plates		90	Pure Titanium
2351-3095			95	
2351-3100			100	
2351-3105			105	
2351-3110	Thoracolumbar Bolts	6.5	110	Titanium Alloy
2352-2K40			40	
2352-2K45			45	
2353-2K40	Thoracolumbar Screws	6.5	40	Titanium Alloy
2353-2K45			45	
2354-2120	Small Screws	4.0	20	Titanium Alloy
2354-2125			25	
2354-2130			30	
2354-2135			35	

Thoracic and Lumbar Vertebrae Internal Fixation System




2390 | CDH Anterior Thoracolumbar Double Rod System

2390 | CDH Anterior Thoracolumbar Double Rod System Case



Product No.	Product Name	(mm)Size	
		Diameter	Length
2391-2050	Rod	6.0	50
2391-2075			75
2391-2100			100
2391-2125			125
2391-2150			150
2242-2J40	Single Axial Screws	6.0	40
2242-2J45			45
2242-2K40		6.5	40
2242-2K45			45
2242-2K50			50
2242-2L40	7.0	40	
2242-2L45		45	
2242-2L50		50	
2393-2121	Double Rod Staple		Large(L)
2393-2123			Mid(L)
2393-2125			Small(L)
2393-2221			Large(R)
2393-2223			Mid(R)
2393-2225			Small(R)
2394-2013	Crosslinks		13
2394-2014			14
2394-2015			15
2394-2016			16
2394-2017			17
2394-2018			18
2394-2019			19
2395-2001	Single Rod Staple		Large
2395-2002			Mid
2395-2003			Small

2390 | CDH Anterior Thoracolumbar Single Rod System



Product No.	Product Name
T2390-0100	Staple Impactor
T2390-0200	Plate Template
T2390-0300	Open Awl
T2390-0400	Awl Guide
T2390-0500	Single Axial Screw Driver
T2390-0600	Cross-link Holder
T2390-0700	Double Temporary Tightening Screwdriver
T2390-0800	Screw Tap Φ 5.5
T2390-0900	Screwdriver(hex) SW5
T2390-1000	Screwdriver(hex) SW3.5
T2390-1100	Anti-rotation Spanner Torque
T2390-1200	Rod Bender
T2390-1300	Quick Coupling Handle(T/Straight)
T2390-1400	Rod Holder
T2390-1500	Distractor Clamp
T2390-1600	Compression Clamp
T2390-1700	Depth Gauge
T2390-1800	Graft Measuring Caliper
T2390-1900	In-Situ Bender
T2390-2000	Double Rod Rotation Wrench SW4.5
T2390-2100	Rod Template

2391 Rod




2242 Single Axial Screws



2393 Double Rod Staple





2394 Crosslinks



2395 Single Rod Staple



2351 | Anterior Thoracolumbar Plate System Case



Product No.	Product Name
T2351-0100	Distractor
T2351-0200	Screw Extractor
T2351-0300	Screwdriver(hex)SW3.5
T2351-0400	Open Awl
T2351-0500	Open Awl
T2351-0600	Socket Nut Driver SW8
T2351-0700	Drill Bit
T2351-0800	Curved Holt Probe
T2351-0900	Straight Holt Probe
T2351-1000	Drill Guide
T2351-1100	Guide Sleeve
T2351-1200	Depth Gauge
T2351-1300	Tap HD5.5
T2351-1400	Tap HD6.0
T2351-1500	Universal Screwdriver SW3.5
T2351-1600	Calipers
T2351-1700	Compression Clamp
T2351-1800	Plate Holding Clamp

(RF-3) | RF-IV Spinal System



2131-2134 Angled Rod



2242 Single Axial Screws



2136 Long Post Screws



Product No.		Product Name	Angle	(mm)Size				
Titanium Alloy	Stainless Steel			Diameter	Length			
2131-2004	2131-5004	Angled Rod	0°	φ5.5×40	30			
2131-2005	2131-5005			φ5.5×50	35			
2131-2006	2131-5006			φ5.5×60	40			
2132-2004	2132-5004			φ5.5×40	30			
2132-2005	2132-5005			φ5.5×50	35			
2132-2006	2132-5006			φ5.5×60	40			
2133-2004	2133-5004		10°	φ5.5×40	φ5.5×40	30		
2133-2005	2133-5005				φ5.5×50	35		
2133-2006	2133-5006				φ5.5×60	40		
2134-2004	2134-5004				15°	φ5.5×40	φ5.5×40	30
2134-2005	2134-5005						φ5.5×50	35
2134-2006	2134-5006						φ5.5×60	40
2242-2I35	2242-5I35	Single Axial Screws		φ5.5×35	30			
2242-2I40	2242-5I40			φ5.5×40	35			
2242-2J40	2242-5J40			φ6×40	40			
2242-2J45	2242-5J45			φ6×45	45			
2242-2K40	2242-5K40			φ6.5×40	40			
2242-2K45	2242-5K45			φ6.5×45	45			
2242-2K50	2242-5K50			φ6.5×50	50			
2136-2I35	2136-5I35			Long Post Screws		φ5.5×35	30	
2136-2I40	2136-5I40					φ5.5×40	35	
2136-2J35	2136-5J35					φ6×35	35	
2136-2J40	2136-5J40					φ6×40	40	
2136-2J45	2136-5J45					φ6×45	45	
2136-2J50	2136-5J50	φ6×50	50					
2136-2K35	2136-5K35	φ6.5×35	35					
2136-2K40	2136-5K40	φ6.5×40	40					
2136-2K45	2136-5K45	φ6.5×45	45					
2136-2K50	2136-5K50	φ6.5×50	50					

2242 Single Axial Screws



2243 Break-off Single Axial Screws



2244 Multi-Axial Screws



2245 Break-off Multi-Axial Screws



2236 Crosslinks



2247/2248 Crosslinks



2242 Locking Nut



RSS III (M10) Spinal System



2231/2211 Rod



Product No.		Product Name	(mm)Size			
Titanium Alloy	Stainless Steel		Diameter	Length		
2231-2510	2231-5510	Rod	5.5	100		
2231-2512	2231-5512			120		
2231-2515	2231-5515			150		
2231-2520	2231-5520			200		
2231-2525	2231-5525			250		
2231-2530	2231-5530			300		
2231-2535	2231-5535			350		
2231-2540	2231-5540			400		
2251-2610	2251-5610			Rod	6.0	100
2251-2612	2251-5612					120
2251-2615	2251-5615	150				
2251-2620	2251-5620	200				
2251-2625	2251-5625	250				
2251-2630	2251-5630	300				
2251-2635	2251-5635	350				
2251-2640	2251-5640	400				

Product No.		Product Name	(mm)Size				
Titanium Alloy	Stainless Steel		Diameter	Length			
2242-2G30	2242-5G30	Single Axial Screws	4.5	30			
2242-2G35	2242-5G35			35			
2242-2G40	2242-5G40			40			
2242-2H30	2242-5H30			5.0	30		
2242-2H35	2242-5H35					35	
2242-2H40	2242-5H40					40	
2242-2I35	2242-5I35		5.5	35			
2242-2I40	2242-5I40				40		
2242-2J40	2242-5J40				6.0	40	
2242-2J45	2242-5J45						45
2242-2K40	2242-5K40						6.5
2242-2K45	2242-5K45				50		
2242-2K50	2242-5K50	55					
2242-2L40	2242-5L40	7.0	40				
2242-2L45	2242-5L45			45			
2242-2L50	2242-5L50			50			
2243-2G30	2243-5G30			Break-off Single Axial Screws	4.5	30	
2243-2G35	2243-5G35					35	
2243-2G40	2243-5G40					40	
2243-2H30	2243-5H30	5.0	30				
2243-2H35	2243-5H35					35	
2243-2H40	2243-5H40					40	
2243-2I35	2243-5I35	5.5	35				
2243-2I40	2243-5I40				40		
2243-2J40	2243-5J40				6.0	40	
2243-2J45	2243-5J45						45
2243-2K40	2243-5K40						6.5
2243-2K45	2243-5K45				50		
2243-2K50	2243-5K50	55					
2243-2L40	2243-5L40	7.0	45				
2243-2L45	2243-5L45			50			
2243-2L50	2243-5L50			55			
2244-2G30	2244-5G30			Multi-Axial Screws	4.5	30	
2244-2G35	2244-5G35					35	
2244-2G40	2244-5G40					40	
2244-2H30	2244-5H30	5.0	30				
2244-2H35	2244-5H35					35	
2244-2H40	2244-5H40					40	
2244-2I35	2244-5I35	5.5	35				
2244-2I40	2244-5I40				40		
2244-2J40	2244-5J40				6.0	40	
2244-2J45	2244-5J45						45
2244-2K40	2244-5K40						6.5
2244-2K45	2244-5K45				50		
2244-2K50	2244-5K50	55					
2244-2L40	2244-5L40	7.0	45				
2244-2L45	2244-5L45			50			
2244-2L50	2244-5L50			55			
2245-2G30	2245-5G30			Break-off Multi-Axial Screws	4.5	30	
2245-2G35	2245-5G35					35	
2245-2G40	2245-5G40					40	
2245-2H30	2245-5H30	5.0	30				
2245-2H35	2245-5H35					35	
2245-2H40	2245-5H40					40	
2245-2I35	2245-5I35	5.5	35				
2245-2I40	2245-5I40				40		
2245-2J40	2245-5J40				6.0	40	
2245-2J45	2245-5J45						45
2245-2K40	2245-5K40						6.5
2245-2K45	2245-5K45				50		
2245-2K50	2245-5K50	55					
2245-2L40	2245-5L40	7.0	45				
2245-2L45	2245-5L45			50			
2245-2L50	2245-5L50			55			
2236-2305	2236-5305			Crosslinks1	5.5	50	
2236-2306	2236-5306					60	
2236-2307	2236-5307					6.0	70
2236-2310	2236-5310	100					
2247-2305	2247-5305	5.5	50				
2247-2306	2247-5306					60	
2247-2307	2247-5307				6.0	70	
2247-2310	2247-5310						100
2248-2350	2248-5350						6.0
2248-2360	2248-5360				60		
2248-2370	2248-5370	70					
2248-2380	2248-5380	80					
2248-2390	2248-5390	90					
2248-2310	2248-5310	100					
2242-2006	2242-5006	Locking Nut					

RSS III (D10) | RSS III (D10) Spinal System



2231/2211 Rod



2247/2248 Crosslinks



2252 Locking Nut(Standard)



2252 Locking Nut(Bottom Locked)



2252

Double Locking Nut(Note:Use for 2258/2259/2278/2279)



Product No.		Product Name	(mm)Size			
Titanium Alloy	Stainless Steel		Diameter	Length		
2231-2510	2231-5510	Rod	5.5	100		
2231-2512	2231-5512			120		
2231-2515	2231-5515			150		
2231-2520	2231-5520			200		
2231-2525	2231-5525			250		
2231-2530	2231-5530			300		
2231-2535	2231-5535			350		
2231-2540	2231-5540			400		
2251-2610	2251-5610			Rod	6.0	100
2251-2612	2251-5612					120
2251-2615	2251-5615	150				
2251-2620	2251-5620	200				
2251-2625	2251-5625	250				
2251-2630	2251-5630	300				
2251-2635	2251-5635	350				
2251-2640	2251-5640	400				
2247-2305	2247-5305	Crosslinks2	6.0			50
2247-2306	2247-5306					60
2247-2307	2247-5307			70		
2247-2310	2247-5310			100		
2248-2350	2248-5350			50		
2248-2360	2248-5360			60		
2248-2370	2248-5370			70		
2248-2380	2248-5380			80		
2248-2390	2248-5390			90		
2248-2310	2248-5310			100		
2252-2001	2252-5001	Locking Nut(Standard)				
2252-2002	2252-5002	Locking Nut(Bottom Locked)				
2252-2003	2252-5003	Double Locking Nut(Note:Use for 2258/2259/2278/2279)				

2252 Single Axial Screws



Product No.		Product Name	(mm)Size			
Titanium Alloy	Stainless Steel		Diameter	Length		
2252-2G25	2252-5G25	Single Axial Screws	4.5	25		
2252-2G30	2252-5G30			30		
2252-2G35	2252-5G35			35		
2252-2G40	2252-5G40			40		
2252-2G45	2252-5G45			45		
2252-2H25	2252-5H25		5.0	5.0	25	
2252-2H30	2252-5H30				30	
2252-2H35	2252-5H35				35	
2252-2H40	2252-5H40				40	
2252-2H45	2252-5H45				45	
2252-2I25	2252-5I25		5.5	5.5	25	
2252-2I30	2252-5I30				30	
2252-2I35	2252-5I35				35	
2252-2I40	2252-5I40				40	
2252-2I45	2252-5I45				45	
2252-2J25	2252-5J25	6.0	6.0	25		
2252-2J30	2252-5J30			30		
2252-2J35	2252-5J35			35		
2252-2J40	2252-5J40			40		
2252-2J45	2252-5J45			45		
2252-2J50	2252-5J50			50		
2252-2J55	2252-5J55			55		
2252-2K25	2252-5K25			6.5	6.5	25
2252-2K30	2252-5K30					30
2252-2K35	2252-5K35					35
2252-2K40	2252-5K40	40				
2252-2K45	2252-5K45	45				
2252-2K50	2252-5K50	7.0	7.0	50		
2252-2K55	2252-5K55			55		
2252-2L25	2252-5L25			25		
2252-2L30	2252-5L30			30		
2252-2L35	2252-5L35			35		
2252-2L40	2252-5L40	7.5	7.5	40		
2252-2L45	2252-5L45			45		
2252-2L50	2252-5L50			50		
2252-2L55	2252-5L55			55		
2252-2M25	2252-5M25			25		
2252-2M30	2252-5M30	7.5	7.5	30		
2252-2M35	2252-5M35			35		
2252-2M40	2252-5M40			40		
2252-2M45	2252-5M45			45		
2252-2M50	2252-5M50			50		
2252-2M55	2252-5M55	55				

2253 Break-off Single Axial Screws



Product No.		Product Name	(mm)Size			
Titanium Alloy	Stainless Steel		Diameter	Length		
2253-2G25	2253-5G25	Break-off Single Axial Screws	4.5	25		
2253-2G30	2253-5G30			30		
2253-2G35	2253-5G35			35		
2253-2G40	2253-5G40			40		
2253-2G45	2253-5G45			45		
2253-2H25	2253-5H25		5.0	5.0	25	
2253-2H30	2253-5H30				30	
2253-2H35	2253-5H35				35	
2253-2H40	2253-5H40				40	
2253-2H45	2253-5H45				45	
2253-2I25	2253-5I25		5.5	5.5	25	
2253-2I30	2253-5I30				30	
2253-2I35	2253-5I35				35	
2253-2I40	2253-5I40				40	
2253-2I45	2253-5I45				45	
2253-2J25	2253-5J25	6.0	6.0	25		
2253-2J30	2253-5J30			30		
2253-2J35	2253-5J35			35		
2253-2J40	2253-5J40			40		
2253-2J45	2253-5J45			45		
2253-2J50	2253-5J50			50		
2253-2J55	2253-5J55			55		
2253-2K25	2253-5K25			6.5	6.5	25
2253-2K30	2253-5K30					30
2253-2K35	2253-5K35					35
2253-2K40	2253-5K40	40				
2253-2K45	2253-5K45	45				
2253-2K50	2253-5K50	7.0	7.0	50		
2253-2K55	2253-5K55			55		
2253-2L25	2253-5L25			25		
2253-2L30	2253-5L30			30		
2253-2L35	2253-5L35			35		
2253-2L40	2253-5L40	7.5	7.5	40		
2253-2L45	2253-5L45			45		
2253-2L50	2253-5L50			50		
2253-2L55	2253-5L55			55		
2253-2M25	2253-5M25			25		
2253-2M30	2253-5M30	7.5	7.5	30		
2253-2M35	2253-5M35			35		
2253-2M40	2253-5M40			40		
2253-2M45	2253-5M45			45		
2253-2M50	2253-5M50			50		
2253-2M55	2253-5M55	55				

2254 Multi-Axial Screws



2255 Break-off Multi-Axial Screws



2256 Multi-Axial Screw(Single-Axial Swing)



2257 Break-off Multi-Axial Screws(Single-Axial Swing)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2254-2G25	2254-5G25	Multi-Axial Screws	4.5	25	
2254-2G30	2254-5G30			30	
2254-2G35	2254-5G35			35	
2254-2G40	2254-5G40			40	
2254-2G45	2254-5G45			45	
2254-2H25	2254-5H25		5.0	4.5	25
2254-2H30	2254-5H30				30
2254-2H35	2254-5H35				35
2254-2H40	2254-5H40				40
2254-2H45	2254-5H45				45
2254-2I25	2254-5I25		5.5	5.0	25
2254-2I30	2254-5I30				30
2254-2I35	2254-5I35				35
2254-2I40	2254-5I40				40
2254-2I45	2254-5I45				45
2254-2J25	2254-5J25		6.0	6.0	25
2254-2J30	2254-5J30				30
2254-2J35	2254-5J35				35
2254-2J40	2254-5J40				40
2254-2J45	2254-5J45				45
2254-2J50	2254-5J50		6.5	7.0	50
2254-2J55	2254-5J55				55
2254-2K25	2254-5K25				25
2254-2K30	2254-5K30				30
2254-2K35	2254-5K35				35
2254-2K40	2254-5K40		7.0	7.5	40
2254-2K45	2254-5K45				45
2254-2K50	2254-5K50				50
2254-2K55	2254-5K55				55
2254-2L25	2254-5L25				25
2254-2L30	2254-5L30		7.5	8.0	30
2254-2L35	2254-5L35				35
2254-2L40	2254-5L40				40
2254-2L45	2254-5L45				45
2254-2L50	2254-5L50				50
2254-2L55	2254-5L55		8.0	8.5	55
2254-2M25	2254-5M25				25
2254-2M30	2254-5M30				30
2254-2M35	2254-5M35				35
2254-2M40	2254-5M40				40
2254-2M45	2254-5M45		8.5	9.0	45
2254-2M50	2254-5M50				50
2254-2M55	2254-5M55				55

Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2255-2G25	2255-5G25	Break-off Multi-Axial Screws	4.5	25	
2255-2G30	2255-5G30			30	
2255-2G35	2255-5G35			35	
2255-2G40	2255-5G40			40	
2255-2G45	2255-5G45			45	
2255-2H25	2255-5H25		5.0	4.5	25
2255-2H30	2255-5H30				30
2255-2H35	2255-5H35				35
2255-2H40	2255-5H40				40
2255-2H45	2255-5H45				45
2255-2I25	2255-5I25		5.5	5.0	25
2255-2I30	2255-5I30				30
2255-2I35	2255-5I35				35
2255-2I40	2255-5I40				40
2255-2I45	2255-5I45				45
2255-2J25	2255-5J25		6.0	6.0	25
2255-2J30	2255-5J30				30
2255-2J35	2255-5J35				35
2255-2J40	2255-5J40				40
2255-2J45	2255-5J45				45
2255-2J50	2255-5J50		6.5	7.0	50
2255-2J55	2255-5J55				55
2255-2K25	2255-5K25				25
2255-2K30	2255-5K30				30
2255-2K35	2255-5K35				35
2255-2K40	2255-5K40		7.0	7.5	40
2255-2K45	2255-5K45				45
2255-2K50	2255-5K50				50
2255-2K55	2255-5K55				55
2255-2L25	2255-5L25				25
2255-2L30	2255-5L30		7.5	8.0	30
2255-2L35	2255-5L35				35
2255-2L40	2255-5L40				40
2255-2L45	2255-5L45				45
2255-2L50	2255-5L50				50
2255-2L55	2255-5L55		8.0	8.5	55
2255-2M25	2255-5M25				25
2255-2M30	2255-5M30				30
2255-2M35	2255-5M35				35
2255-2M40	2255-5M40				40
2255-2M45	2255-5M45		8.5	9.0	45
2255-2M50	2255-5M50				50
2255-2M55	2255-5M55				55

Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2256-2G25	2256-5G25	Multi-Axial Screws (Single-Axial Swing)	4.5	25	
2256-2G30	2256-5G30			30	
2256-2G35	2256-5G35			35	
2256-2G40	2256-5G40			40	
2256-2G45	2256-5G45			45	
2256-2H25	2256-5H25		5.0	4.5	25
2256-2H30	2256-5H30				30
2256-2H35	2256-5H35				35
2256-2H40	2256-5H40				40
2256-2H45	2256-5H45				45
2256-2I25	2256-5I25		5.5	5.0	25
2256-2I30	2256-5I30				30
2256-2I35	2256-5I35				35
2256-2I40	2256-5I40				40
2256-2I45	2256-5I45				45
2256-2J25	2256-5J25		6.0	6.0	25
2256-2J30	2256-5J30				30
2256-2J35	2256-5J35				35
2256-2J40	2256-5J40				40
2256-2J45	2256-5J45				45
2256-2J50	2256-5J50		6.5	7.0	50
2256-2J55	2256-5J55				55
2256-2K25	2256-5K25				25
2256-2K30	2256-5K30				30
2256-2K35	2256-5K35				35
2256-2K40	2256-5K40		7.0	7.5	40
2256-2K45	2256-5K45				45
2256-2K50	2256-5K50				50
2256-2K55	2256-5K55				55
2256-2L25	2256-5L25				25
2256-2L30	2256-5L30		7.5	8.0	30
2256-2L35	2256-5L35				35
2256-2L40	2256-5L40				40
2256-2L45	2256-5L45				45
2256-2L50	2256-5L50				50
2256-2L55	2256-5L55		8.0	8.5	55
2256-2M25	2256-5M25				25
2256-2M30	2256-5M30				30
2256-2M35	2256-5M35				35
2256-2M40	2256-5M40				40
2256-2M45	2256-5M45		8.5	9.0	45
2256-2M50	2256-5M50				50
2256-2M55	2256-5M55				55

Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2257-2G25	2257-5G25	Break-off Multi-Axial Screws (Single-Axial Swing)	4.5	25	
2257-2G30	2257-5G30			30	
2257-2G35	2257-5G35			35	
2257-2G40	2257-5G40			40	
2257-2G45	2257-5G45			45	
2257-2H25	2257-5H25		5.0	4.5	25
2257-2H30	2257-5H30				30
2257-2H35	2257-5H35				35
2257-2H40	2257-5H40				40
2257-2H45	2257-5H45				45
2257-2I25	2257-5I25		5.5	5.0	25
2257-2I30	2257-5I30				30
2257-2I35	2257-5I35				35
2257-2I40	2257-5I40				40
2257-2I45	2257-5I45				45
2257-2J25	2257-5J25		6.0	6.0	25
2257-2J30	2257-5J30				30
2257-2J35	2257-5J35				35
2257-2J40	2257-5J40				40
2257-2J45	2257-5J45				45
2257-2J50	2257-5J50		6.5	7.0	50
2257-2J55	2257-5J55				55
2257-2K25	2257-5K25				25
2257-2K30	2257-5K30				30
2257-2K35	2257-5K35				35
2257-2K40	2257-5K40		7.0	7.5	40
2257-2K45	2257-5K45				45
2257-2K50	2257-5K50				50
2257-2K55	2257-5K55				55
2257-2L25	2257-5L25				25
2257-2L30	2257-5L30		7.5	8.0	30
2257-2L35	2257-5L35				35
2257-2L40	2257-5L40				40
2257-2L45	2257-5L45				45
2257-2L50	2257-5L50				50
2257-2L55	2257-5L55		8.0	8.5	55
2257-2M25	2257-5M25				25
2257-2M30	2257-5M30				30
2257-2M35	2257-5M35				35
2257-2M40	2257-5M40				40
2257-2M45	2257-5M45		8.5	9.0	45
2257-2M50	2257-5M50				50
2257-2M55	2257-5M55				55

2258

Multi-Axial Screw(Double Locking Nut)(Select Double Locking Nut)



2259

Break-off Multi-Axial Screws(Double Locking Nut)(Select Double Locking Nut)



Evidence Spinal System

(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2258-2G25	2258-5G25	Multi-Axial Screw (Double Locking Nut)	4.5	25	
2258-2G30	2258-5G30			30	
2258-2G35	2258-5G35			35	
2258-2G40	2258-5G40			40	
2258-2G45	2258-5G45			45	
2258-2H25	2258-5H25		5.0	5.0	25
2258-2H30	2258-5H30				30
2258-2H35	2258-5H35				35
2258-2H40	2258-5H40				40
2258-2H45	2258-5H45				45
2258-2I25	2258-5I25		5.5	5.5	25
2258-2I30	2258-5I30				30
2258-2I35	2258-5I35				35
2258-2I40	2258-5I40				40
2258-2I45	2258-5I45				45
2258-2J25	2258-5J25		6.0	6.0	25
2258-2J30	2258-5J30				30
2258-2J35	2258-5J35				35
2258-2J40	2258-5J40				40
2258-2J45	2258-5J45				45
2258-2J50	2258-5J50		6.5	6.5	50
2258-2J55	2258-5J55				55
2258-2K25	2258-5K25				25
2258-2K30	2258-5K30				30
2258-2K35	2258-5K35				35
2258-2K40	2258-5K40	Note:Select Double Locking Nut	2252	40	
2258-2K45	2258-5K45			45	
2258-2K50	2258-5K50			50	
2258-2K55	2258-5K55			55	
2258-2L25	2258-5L25			7.0	7.0
2258-2L30	2258-5L30	30			
2258-2L35	2258-5L35	35			
2258-2L40	2258-5L40	40			
2258-2L45	2258-5L45	45			
2258-2L50	2258-5L50	7.5	7.5	50	
2258-2L55	2258-5L55			55	
2258-2M25	2258-5M25			25	
2258-2M30	2258-5M30			30	
2258-2M35	2258-5M35			35	
2258-2M40	2258-5M40	7.5	7.5	40	
2258-2M45	2258-5M45			45	
2258-2M50	2258-5M50			50	
2258-2M55	2258-5M55			55	

Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2259-2G25	2259-5G25	Break-off Multi-Axial Screws (Double Locking Nut)	4.5	25	
2259-2G30	2259-5G30			30	
2259-2G35	2259-5G35			35	
2259-2G40	2259-5G40			40	
2259-2G45	2259-5G45			45	
2259-2H25	2259-5H25		5.0	5.0	25
2259-2H30	2259-5H30				30
2259-2H35	2259-5H35				35
2259-2H40	2259-5H40				40
2259-2H45	2259-5H45				45
2259-2I25	2259-5I25		5.5	5.5	25
2259-2I30	2259-5I30				30
2259-2I35	2259-5I35				35
2259-2I40	2259-5I40				40
2259-2I45	2259-5I45				45
2259-2J25	2259-5J25		6.0	6.0	25
2259-2J30	2259-5J30				30
2259-2J35	2259-5J35				35
2259-2J40	2259-5J40				40
2259-2J45	2259-5J45				45
2259-2J50	2259-5J50		6.5	6.5	50
2259-2J55	2259-5J55				55
2259-2K25	2259-5K25				25
2259-2K30	2259-5K30				30
2259-2K35	2259-5K35				35
2259-2K40	2259-5K40	Note:Select Double Locking Nut	2252	40	
2259-2K45	2259-5K45			45	
2259-2K50	2259-5K50			50	
2259-2K55	2259-5K55			55	
2259-2L25	2259-5L25			7.0	7.0
2259-2L30	2259-5L30	30			
2259-2L35	2259-5L35	35			
2259-2L40	2259-5L40	40			
2259-2L45	2259-5L45	45			
2259-2L50	2259-5L50	7.5	7.5	50	
2259-2L55	2259-5L55			55	
2259-2M25	2259-5M25			25	
2259-2M30	2259-5M30			30	
2259-2M35	2259-5M35			35	
2259-2M40	2259-5M40	7.5	7.5	40	
2259-2M45	2259-5M45			45	
2259-2M50	2259-5M50			50	
2259-2M55	2259-5M55			55	

2231/2211 Rod



2247/2248 Crosslinks



Product No.		Product Name	(mm)Size	
Titanium Alloy	Stainless Steel		Diameter	Length
2231-2510	2231-5510	Rod	5.5	100
2231-2512	2231-5512			120
2231-2515	2231-5515			150
2231-2520	2231-5520			200
2231-2525	2231-5525			250
2231-2530	2231-5530			300
2231-2535	2231-5535			350
2231-2540	2231-5540	400		
2251-2610	2251-5610	Rod	6.0	100
2251-2612	2251-5612			120
2251-2615	2251-5615			150
2251-2620	2251-5620			200
2251-2625	2251-5625			250
2251-2630	2251-5630			300
2251-2635	2251-5635			350
2251-2640	2251-5640	400		
2247-2305	2247-5305	Crosslinks2	6.0	50
2247-2306	2247-5306			60
2247-2307	2247-5307			70
2247-2310	2247-5310			100
2248-2350	2248-5350			50
2248-2360	2248-5360			60
2248-2370	2248-5370			70
2248-2380	2248-5380	80		
2248-2390	2248-5390	90		
2248-2310	2248-5310	100		

Evidence

2272

Single Axial Screws(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2272-2G25	2272-5G25	Evidence Single Axial Screws (Double Core and Double Threaded Type)	4.5	25	
2272-2G30	2272-5G30			30	
2272-2G35	2272-5G35			35	
2272-2G40	2272-5G40			40	
2272-2G45	2272-5G45			45	
2272-2H25	2272-5H25		5.0	5.0	25
2272-2H30	2272-5H30				30
2272-2H35	2272-5H35				35
2272-2H40	2272-5H40				40
2272-2H45	2272-5H45				45
2272-2I25	2272-5I25		5.5	5.5	25
2272-2I30	2272-5I30				30
2272-2I35	2272-5I35				35
2272-2I40	2272-5I40				40
2272-2I45	2272-5I45				45
2272-2J25	2272-5J25		6.0	6.0	25
2272-2J30	2272-5J30				30
2272-2J35	2272-5J35				35
2272-2J40	2272-5J40				40
2272-2J45	2272-5J45				45
2272-2J50	2272-5J50		6.5	6.5	50
2272-2J55	2272-5J55				55
2272-2K25	2272-5K25				25
2272-2K30	2272-5K30				30
2272-2K35	2272-5K35				35
2272-2K40	2272-5K40		7.0	7.0	40
2272-2K45	2272-5K45				45
2272-2K50	2272-5K50				50
2272-2K55	2272-5K55				55
2272-2L25	2272-5L25				25
2272-2L30	2272-5L30		7.5	7.5	30
2272-2L35	2272-5L35				35
2272-2L40	2272-5L40				40
2272-2L45	2272-5L45				45
2272-2L50	2272-5L50				50
2272-2L55	2272-5L55		7.5	7.5	55
2272-2M25	2272-5M25				25
2272-2M30	2272-5M30				30
2272-2M35	2272-5M35				35
2272-2M40	2272-5M40				40
2272-2M45	2272-5M45		7.5	7.5	45
2272-2M50	2272-5M50				50
2272-2M55	2272-5M55				55

Evidence

2273

Break-off Single Axial Screws(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2273-2G25	2273-5G25	Evidence Break-off Single Axial Screws (Double Core and Double Threaded Type)	4.5	25	
2273-2G30	2273-5G30			30	
2273-2G35	2273-5G35			35	
2273-2G40	2273-5G40			40	
2273-2G45	2273-5G45			45	
2273-2H25	2273-5H25		5.0	5.0	25
2273-2H30	2273-5H30				30
2273-2H35	2273-5H35				35
2273-2H40	2273-5H40				40
2273-2H45	2273-5H45				45
2273-2I25	2273-5I25		5.5	5.5	25
2273-2I30	2273-5I30				30
2273-2I35	2273-5I35				35
2273-2I40	2273-5I40				40
2273-2I45	2273-5I45				45
2273-2J25	2273-5J25		6.0	6.0	25
2273-2J30	2273-5J30				30
2273-2J35	2273-5J35				35
2273-2J40	2273-5J40				40
2273-2J45	2273-5J45				45
2273-2J50	2273-5J50		6.5	6.5	50
2273-2J55	2273-5J55				55
2273-2K25	2273-5K25				25
2273-2K30	2273-5K30				30
2273-2K35	2273-5K35				35
2273-2K40	2273-5K40		7.0	7.0	40
2273-2K45	2273-5K45				45
2273-2K50	2273-5K50				50
2273-2K55	2273-5K55				55
2273-2L25	2273-5L25				25
2273-2L30	2273-5L30		7.5	7.5	30
2273-2L35	2273-5L35				35
2273-2L40	2273-5L40				40
2273-2L45	2273-5L45				45
2273-2L50	2273-5L50				50
2273-2L55	2273-5L55		7.5	7.5	55
2273-2M25	2273-5M25				25
2273-2M30	2273-5M30				30
2273-2M35	2273-5M35				35
2273-2M40	2273-5M40				40
2273-2M45	2273-5M45		7.5	7.5	45
2273-2M50	2273-5M50				50
2273-2M55	2273-5M55				55

Evidence

2274

Multi-Axial Screws(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2274-2G25	2274-5G25	Evidence Multi-Axial Screws (Double Core and Double Threaded Type)	4.5	25	
2274-2G30	2274-5G30			30	
2274-2G35	2274-5G35			35	
2274-2G40	2274-5G40			40	
2274-2G45	2274-5G45			45	
2274-2H25	2274-5H25		5.0	5.0	25
2274-2H30	2274-5H30				30
2274-2H35	2274-5H35				35
2274-2H40	2274-5H40				40
2274-2H45	2274-5H45				45
2274-2I25	2274-5I25		5.5	5.5	25
2274-2I30	2274-5I30				30
2274-2I35	2274-5I35				35
2274-2I40	2274-5I40				40
2274-2I45	2274-5I45				45
2274-2J25	2274-5J25		6.0	6.0	25
2274-2J30	2274-5J30				30
2274-2J35	2274-5J35				35
2274-2J40	2274-5J40				40
2274-2J45	2274-5J45				45
2274-2J50	2274-5J50		6.5	6.5	50
2274-2J55	2274-5J55				55
2274-2K25	2274-5K25				25
2274-2K30	2274-5K30				30
2274-2K35	2274-5K35				35
2274-2K40	2274-5K40		7.0	7.0	40
2274-2K45	2274-5K45				45
2274-2K50	2274-5K50				50
2274-2K55	2274-5K55				55
2274-2L25	2274-5L25				25
2274-2L30	2274-5L30		7.5	7.5	30
2274-2L35	2274-5L35				35
2274-2L40	2274-5L40				40
2274-2L45	2274-5L45				45
2274-2L50	2274-5L50				50
2274-2L55	2274-5L55		7.5	7.5	55
2274-2M25	2274-5M25				25
2274-2M30	2274-5M30				30
2274-2M35	2274-5M35				35
2274-2M40	2274-5M40				40
2274-2M45	2274-5M45		7.5	7.5	45
2274-2M50	2274-5M50				50
2274-2M55	2274-5M55				55

Evidence

2275

Break-off Multi-Axial Screws(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size		
Titanium Alloy	Stainless Steel		Diameter	Length	
2275-2G25	2275-5G25	Evidence Break-off Multi-Axial Screws (Double Core and Double Threaded Type)	4.5	25	
2275-2G30	2275-5G30			30	
2275-2G35	2275-5G35			35	
2275-2G40	2275-5G40			40	
2275-2G45	2275-5G45			45	
2275-2H25	2275-5H25		5.0	5.0	25
2275-2H30	2275-5H30				30
2275-2H35	2275-5H35				35
2275-2H40	2275-5H40				40
2275-2H45	2275-5H45				45
2275-2I25	2275-5I25		5.5	5.5	25
2275-2I30	2275-5I30				30
2275-2I35	2275-5I35				35
2275-2I40	2275-5I40				40
2275-2I45	2275-5I45				45
2275-2J25	2275-5J25		6.0	6.0	25
2275-2J30	2275-5J30				30
2275-2J35	2275-5J35				35
2275-2J40	2275-5J40				40
2275-2J45	2275-5J45				45
2275-2J50	2275-5J50		6.5	6.5	50
2275-2J55	2275-5J55				55
2275-2K25	2275-5K25				25
2275-2K30	2275-5K30				30
2275-2K35	2275-5K35				35
2275-2K40	2275-5K40		7.0	7.0	40
2275-2K45	2275-5K45				45
2275-2K50	2275-5K50				50
2275-2K55	2275-5K55				55
2275-2L25	2275-5L25				25
2275-2L30	2275-5L30		7.5	7.5	30
2275-2L35	2275-5L35				35
2275-2L40	2275-5L40				40
2275-2L45	2275-5L45				45
2275-2L50	2275-5L50				50
2275-2L55	2275-5L55		7.5	7.5	55
2275-2M25	2275-5M25				25
2275-2M30	2275-5M30				30
2275-2M35	2275-5M35				35
2275-2M40	2275-5M40				40
2275-2M45	2275-5M45		7.5	7.5	45
2275-2M50	2275-5M50				50
2275-2M55	2275-5M55				55

Evidence

Multi-Axial Screw(Single-Axial Swing)
(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size	
Titanium Alloy	Stainless Steel		Diameter	Length
2276-2G25	2276-5G25	Evidence	4.5	25
2276-2G30	2276-5G30			30
2276-2G35	2276-5G35			35
2276-2G40	2276-5G40			40
2276-2G45	2276-5G45			45
2276-2H25	2276-5H25		25	
2276-2H30	2276-5H30		30	
2276-2H35	2276-5H35		35	
2276-2H40	2276-5H40		40	
2276-2H45	2276-5H45		45	
2276-2I25	2276-5I25	5.5	5.5	25
2276-2I30	2276-5I30			30
2276-2I35	2276-5I35			35
2276-2I40	2276-5I40			40
2276-2I45	2276-5I45			45
2276-2J25	2276-5J25	6.0	6.0	25
2276-2J30	2276-5J30			30
2276-2J35	2276-5J35			35
2276-2J40	2276-5J40			40
2276-2J45	2276-5J45			45
2276-2J50	2276-5J50	6.5	6.5	50
2276-2J55	2276-5J55			55
2276-2K25	2276-5K25			25
2276-2K30	2276-5K30			30
2276-2K35	2276-5K35			35
2276-2K40	2276-5K40	7.0	7.0	40
2276-2K45	2276-5K45			45
2276-2K50	2276-5K50			50
2276-2K55	2276-5K55			55
2276-2L25	2276-5L25			25
2276-2L30	2276-5L30	7.5	7.5	30
2276-2L35	2276-5L35			35
2276-2L40	2276-5L40			40
2276-2L45	2276-5L45			45
2276-2L50	2276-5L50			50
2276-2L55	2276-5L55	55		
2276-2M25	2276-5M25	Evidence	7.5	25
2276-2M30	2276-5M30			30
2276-2M35	2276-5M35			35
2276-2M40	2276-5M40			40
2276-2M45	2276-5M45			45
2276-2M50	2276-5M50	50		
2276-2M55	2276-5M55	55		

Evidence

Break-off Multi-Axial Screws(Single-Axial Swing)
(Double Core and Double Threaded Type)



Product No.		Product Name	(mm)Size	
Titanium Alloy	Stainless Steel		Diameter	Length
2277-2G25	2277-5G25	Evidence	4.5	25
2277-2G30	2277-5G30			30
2277-2G35	2277-5G35			35
2277-2G40	2277-5G40			40
2277-2G45	2277-5G45			45
2277-2H25	2277-5H25		25	
2277-2H30	2277-5H30		30	
2277-2H35	2277-5H35		35	
2277-2H40	2277-5H40		40	
2277-2H45	2277-5H45		45	
2277-2I25	2277-5I25	5.5	5.5	25
2277-2I30	2277-5I30			30
2277-2I35	2277-5I35			35
2277-2I40	2277-5I40			40
2277-2I45	2277-5I45			45
2277-2J25	2277-5J25	6.0	6.0	25
2277-2J30	2277-5J30			30
2277-2J35	2277-5J35			35
2277-2J40	2277-5J40			40
2277-2J45	2277-5J45			45
2277-2J50	2277-5J50	6.5	6.5	50
2277-2J55	2277-5J55			55
2277-2K25	2277-5K25			25
2277-2K30	2277-5K30			30
2277-2K35	2277-5K35			35
2277-2K40	2277-5K40	7.0	7.0	40
2277-2K45	2277-5K45			45
2277-2K50	2277-5K50			50
2277-2K55	2277-5K55			55
2277-2L25	2277-5L25			25
2277-2L30	2277-5L30	7.5	7.5	30
2277-2L35	2277-5L35			35
2277-2L40	2277-5L40			40
2277-2L45	2277-5L45			45
2277-2L50	2277-5L50			50
2277-2L55	2277-5L55	55		
2277-2M25	2277-5M25	Evidence	7.5	25
2277-2M30	2277-5M30			30
2277-2M35	2277-5M35			35
2277-2M40	2277-5M40			40
2277-2M45	2277-5M45			45
2277-2M50	2277-5M50	50		
2277-2M55	2277-5M55	55		

Evidence

Multi-Axial Screw(Double Locking Nut)
(Double Core and Double Threaded Type)
(Select Double Locking Nut)



Product No.		Product Name	(mm)Size	
Titanium Alloy	Stainless Steel		Diameter	Length
2278-2G25	2278-5G25	Evidence	4.5	25
2278-2G30	2278-5G30			30
2278-2G35	2278-5G35			35
2278-2G40	2278-5G40			40
2278-2G45	2278-5G45			45
2278-2H25	2278-5H25		25	
2278-2H30	2278-5H30		30	
2278-2H35	2278-5H35		35	
2278-2H40	2278-5H40		40	
2278-2H45	2278-5H45		45	
2278-2I25	2278-5I25	5.5	5.5	25
2278-2I30	2278-5I30			30
2278-2I35	2278-5I35			35
2278-2I40	2278-5I40			40
2278-2I45	2278-5I45			45
2278-2J25	2278-5J25	6.0	6.0	25
2278-2J30	2278-5J30			30
2278-2J35	2278-5J35			35
2278-2J40	2278-5J40			40
2278-2J45	2278-5J45			45
2278-2J50	2278-5J50	6.5	6.5	50
2278-2J55	2278-5J55			55
2278-2K25	2278-5K25			25
2278-2K30	2278-5K30			30
2278-2K35	2278-5K35			35
2278-2K40	2278-5K40	7.0	7.0	40
2278-2K45	2278-5K45			45
2278-2K50	2278-5K50			50
2278-2K55	2278-5K55			55
2278-2L25	2278-5L25			25
2278-2L30	2278-5L30	7.5	7.5	30
2278-2L35	2278-5L35			35
2278-2L40	2278-5L40			40
2278-2L45	2278-5L45			45
2278-2L50	2278-5L50			50
2278-2L55	2278-5L55	55		
2278-2M25	2278-5M25	Note:Select Double Locking Nut	7.5	25
2278-2M30	2278-5M30			30
2278-2M35	2278-5M35			35
2278-2M40	2278-5M40			40
2278-2M45	2278-5M45			45
2278-2M50	2278-5M50	50		
2278-2M55	2278-5M55	55		

Evidence

Break-off Multi-Axial Screws(Double Locking Nut)
(Double Core and Double Threaded Type)
(Select Double Locking Nut)



Product No.		Product Name	(mm)Size	
Titanium Alloy	Stainless Steel		Diameter	Length
2279-2G25	2279-5G25	Evidence	4.5	25
2279-2G30	2279-5G30			30
2279-2G35	2279-5G35			35
2279-2G40	2279-5G40			40
2279-2G45	2279-5G45			45
2279-2H25	2279-5H25		25	
2279-2H30	2279-5H30		30	
2279-2H35	2279-5H35		35	
2279-2H40	2279-5H40		40	
2279-2H45	2279-5H45		45	
2279-2I25	2279-5I25	5.5	5.5	25
2279-2I30	2279-5I30			30
2279-2I35	2279-5I35			35
2279-2I40	2279-5I40			40
2279-2I45	2279-5I45			45
2279-2J25	2279-5J25	6.0	6.0	25
2279-2J30	2279-5J30			30
2279-2J35	2279-5J35			35
2279-2J40	2279-5J40			40
2279-2J45	2279-5J45			45
2279-2J50	2279-5J50	6.5	6.5	50
2279-2J55	2279-5J55			55
2279-2K25	2279-5K25			25
2279-2K30	2279-5K30			30
2279-2K35	2279-5K35			35
2279-2K40	2279-5K40	7.0	7.0	40
2279-2K45	2279-5K45			45
2279-2K50	2279-5K50			50
2279-2K55	2279-5K55			55
2279-2L25	2279-5L25			25
2279-2L30	2279-5L30	7.5	7.5	30
2279-2L35	2279-5L35			35
2279-2L40	2279-5L40			40
2279-2L45	2279-5L45			45
2279-2L50	2279-5L50			50
2279-2L55	2279-5L55	55		
2279-2M25	2279-5M25	Note:Select Double Locking Nut	7.5	25
2279-2M30	2279-5M30			30
2279-2M35	2279-5M35			35
2279-2M40	2279-5M40			40
2279-2M45	2279-5M45			45
2279-2M50	2279-5M50	50		
2279-2M55	2279-5M55	55		